



## Πνευμονική Αρτηριακή Υπέρταση στο SSc

Ο συνολικός επιπολασμός της πνευμονικής αρτηριακής υπέρτασης (*pulmonary arterial hypertension (PAH)*) σε ασθενείς με συστηματική σκλήρυνση (SSc) είναι **6.4%** (95%CI 5%–8.3%), ενώ η συνολική επίπτωση 18.2 περιστατικά / 1000 person-years (95%CI 12–27.4)

Τα ευρήματα έρχονται από μια **συστηματική ανασκόπηση** της βιβλιογραφίας και μετανάλυση (24 μελέτες / 9804 ασθενείς με SSc) όπου φάνηκε ότι :

- ο συνολικός επιπολασμός της PAH είναι 6.4% (95%CI 5%–8.3%)
  - ειδικά για την περιορισμένη μορφή (lcSSc), ο επιπολασμός είναι 7.7% (95%CI 5.3%–11.1%)
  - ενώ για τη διάχυτη μορφή (dcSSc), 6.3% (95%CI 4.5%–8.9%)
- η συνολική επίπτωση PAH είναι 18.2 περιστατικά / 1000 person-years (95%CI 12–27.4)
  - ειδικά για τη περιορισμένη μορφή, 20.4 περιστατικά / 1000 person-years (95%CI 10.1–41.1)
  - και για τη διάχυτη μορφή, 16.6 περιστατικά / 1000 person-years (95%CI 8.5–32.1)



Autoimmunity Reviews  
Available online 13 November 2020, 102713  
In Press, Corrected Proof



Review

The prevalence and incidence rate of pulmonary arterial hypertension in systemic sclerosis: Systematic review and meta-analysis

Manuel Rubio-Rivas <sup>a, \*</sup>, Narcís A. Homs <sup>a</sup>, Daniel Cuartero <sup>a</sup>, Xavier Corbella <sup>a, b, c</sup>

Manuel Rubio-Rivas, Narcís A. Homs, Daniel Cuartero, Xavier Corbella, The prevalence and incidence rate of pulmonary arterial hypertension in systemic sclerosis: Systematic review and meta-analysis,

Autoimmunity Reviews, 2020, 102713, ISSN 1568-9972,

Available online 13 November 2020